

9 地 方 気 象 台 ・ 測

年 月	9 時 の 天 気		現 象 日 数				海面気圧 (mb)	雲量平均 (10分比)	日 時 間
	快 晴 1)	曇 2)	雷	霧	雪	雨 (>0.5mm)			
						鳥	取	気	
昭和53年	57	91	23	—	51	159	1 015.2	6.9	2 134.0
54	(48)	(118)	26	1	27	177	1 015.3	7.4	1 897.1
55	(43)	(122)	16	6	60	199	X	X	1 694.4
56	118(51)	168(126)	16	1	58	183	1 015.0	9.6	1 867.9
57	140(43)	147(100)	21	5	44	165	1 015.4	7.4	2 014.3
57 1月	8 (3)	13 (11)	7	—	16	21	1 019.6	8.3	94.1
2	6 (—)	13 (11)	2	1	15	20	1 021.0	8.9	87.1
3	8 (3)	7 (5)	—	—	7	17	1 018.6	6.8	166.2
4	16 (5)	10 (6)	1	1	—	11	1 016.6	6.3	218.5
5	12 (6)	16 (7)	1	—	—	9	1 012.2	6.5	250.6
6	16 (4)	10 (6)	1	—	—	8	1 008.1	7.3	233.0
7	13 (5)	16 (9)	—	—	—	12	1 007.9	7.5	192.3
8	16 (3)	13 (10)	5	—	—	12	1 008.8	7.5	201.1
9	9 (1)	13 (8)	—	—	—	9	1 015.2	8.2	138.9
10	17 (8)	10 (5)	2	—	—	10	1 017.4	5.4	211.5
11	9 (3)	14 (11)	1	3	—	18	1 020.0	8.1	109.4
12	10 (2)	12 (11)	1	—	6	18	1 020.8	7.8	111.6
						米	子	測	
昭和53年	60	93	21	—	43	145	1 015.2	7.0	2 225.2
54	(48)	(107)	23	1	22	157	1 015.3	7.4	2 100.8
55	(38)	(143)	15	3	48	186	X	X	1 727.4
56	126(52)	153(106)	18	2	44	188	1 015.1	7.5	1 956.0
57	136(63)	146 (99)	16	3	37	146	1 015.4	7.3	2 197.3
57 1月	3 (1)	12 (11)	—	—	15	20	1 020.0	8.9	91.3
2	9 (2)	8 (6)	—	—	13	15	1 021.3	8.4	111.5
3	16 (9)	7 (5)	—	—	5	15	1 018.7	6.3	179.7
4	14 (7)	10 (4)	3	1	—	10	1 016.7	6.5	225.5
5	13(10)	20 (7)	1	—	—	9	1 012.1	6.6	264.1
6	11 (5)	16 (11)	3	—	—	7	1 008.2	6.9	236.2
7	12 (7)	14 (11)	2	—	—	11	1 007.7	7.3	200.0
8	9 (4)	16 (11)	2	—	—	13	1 008.8	7.6	200.8
9	6 (3)	13 (11)	—	—	—	8	1 015.2	8.1	265.5
10	21 (8)	7 (4)	1	—	—	9	1 017.5	5.3	212.1
11	8 (3)	18 (13)	2	2	—	14	1 020.1	7.8	118.3
12	14 (4)	5 (5)	2	—	4	15	1 021.0	7.9	94.3
						境	測		
昭和53年	64	90	16	15	39	155	1 015.0	6.4	2 165.4
54	(60)	(106)	22	21	23	159	1 015.0	7.0	2 037.4
55	(45)	(123)	14	12	45	191	X	X	1 710.9
56	103(46)	169(127)	13	12	49	182	1 014.9	7.7	2 046.4
57	121(56)	162(125)	15	20	39	160	1 015.3	7.5	2 083.8
57 1月	2 (2)	16 (15)	3	—	16	23	1 019.7	9.1	76.6
2	8 (2)	10 (9)	1	—	14	15	1 021.1	8.7	97.9
3	10 (8)	11 (9)	—	3	5	17	1 018.6	6.6	182.6
4	14 (7)	11 (7)	3	2	—	12	1 016.5	6.5	230.7
5	11 (5)	15 (5)	1	4	—	10	1 011.9	7.3	271.0
6	11 (5)	16 (11)	1	—	—	6	1 008.0	6.9	244.1
7	11 (7)	14 (11)	1	1	—	13	1 007.6	7.3	202.6
8	7 (4)	20 (16)	2	—	—	11	1 008.6	7.7	195.7
9	7 (2)	14 (12)	—	1	—	11	1 013.1	8.3	149.0
10	18 (8)	11 (9)	1	7	—	10	1 017.5	5.5	217.9
11	11 (2)	13 (10)	1	2	—	16	1 020.0	8.1	118.2
12	11 (4)	11 (11)	1	—	4	16	1 020.8	8.0	97.5

(注) 1 ()内の数値及びXは欠測日のあったことを示す。…：観測していないもの。 2 1) 56年以降：快晴・晴れの計、()内は快晴を示し内数。

候 所 月 別 気 象 昭和53~57年

鳥取地方気象台「気象年報」「気象月報」

照 日照率(%)	平均全 日射 量 (MJ/m ²) 3)	相 对 温 度 (%)		風 速 (m/s)			地 震		年 月
		平 均	最 小	平 均	最 大	最大の方向	有 感	無 感	
象 台									
48	...	72	16	3.1	19.0	WNW	6	103	53年
43	...	73	14	2.9	18.0	S	2	58	54
38	...	X	X	3.0	17.9	SSE	-	56	55
42	...	75	16	3.0	17.7	S	-	64	56
45	...	74	15	2.9	18.0	S	-	35	57
30	...	72	33	3.5	11.9	NNW	-	3	57 1月
29	...	76	27	2.8	10.1	WNW	-	2	2
45	...	71	18	3.3	18.0	S	-	4	3
56	...	67	15	3.5	13.5	NNW-WNW	-	2	4
58	...	69	17	3.1	11.3	S	-	2	5
54	...	73	24	2.5	7.8	NNE	-	5	6
44	...	77	37	2.8	10.9	S	-	6	7
48	...	79	42	2.7	15.6	SE	-	3	8
37	...	80	41	2.4	12.3	SSE	-	1	9
61	...	74	21	2.6	12.8	W	-	1	10
35	...	77	24	2.7	13.8	WNW	-	-	11
7	...	70	34	3.0	12.4	S	-	6	12
候 所									
50	9.971	71	15	2.7	13.2	W	6	45	53年
47	...	73	17	2.6	16.1	WSW	3	5	54
39	X	X	X	2.6	13.9	S	2	4	55
44	12.8	73	19	2.5	11.8	W・WSW	-	3	56
50	13.1	72	15	2.5	16.5	ENE	-	14	57
29	6.7	73	31	2.7	9.7	S	-	-	57 1月
37	8.9	71	33	2.2	9.0	NE	-	2	2
49	13.9	66	15	2.8	12.1	S	-	2	3
58	17.6	66	20	2.6	9.5	NNW	-	-	4
61	20.0	67	16	2.6	9.5	WSW	-	-	5
54	19.8	74	25	2.2	8.4	NE	-	3	6
45	17.5	77	37	2.2	9.2	S	-	3	7
48	15.5	78	39	2.4	11.4	SE	-	1	8
40	12.6	78	42	2.8	16.5	ENE	-	1	9
61	12.8	75	24	2.2	9.8	W	-	-	10
38	7.2	75	34	2.3	10.8	W	-	-	11
31	5.4	68	36	2.6	9.9	S	-	2	12
候 所									
49	...	73	16	2.1	10.5	WSW	5	...	53年
46	...	74	15	2.0	15.2	W	2	...	54
39	...	X	X	1.9	11.0	WSW	-	...	55
46	...	74	20	1.7	10.5	WSW	1	...	56
47	...	74	19	1.6	14.8	ENE	-	...	57
25	...	75	32	1.6	8.0	NW	-	...	57 1月
32	...	72	38	1.6	8.2	W	-	...	2
49	...	72	22	1.7	8.7	W	-	...	3
59	...	69	21	1.6	8.3	NNW	-	...	4
63	...	72	19	1.9	9.9	WSW	-	...	5
56	...	74	31	1.7	6.3	NE	-	...	6
46	...	79	50	1.3	7.1	WNE	-	...	7
47	...	79	47	1.7	9.1	ESE	-	...	8
40	...	78	40	2.1	14.8	ENE	-	...	9
62	...	77	23	1.3	7.8	W	-	...	10
38	...	75	31	1.5	11.0	WNW	-	...	11
32	...	72	39	1.5	7.1	W	-	...	12

3 2) 56年以降：曇り・薄曇りの計，()内は曇りを示し内数。

4 3) 53年：水平面日射量 (cal/cm²)。

5 境側候所：地震の無感は観測されていない。

10 観 測 所 月

年 月	気 温 (°C)							降 水 量 (mm)			降 水 日 数 (1mm以上)	積 雪 (cm)	
	平 均			極				総 量	日 最 大	起 日 (月日)		最 深	起 日 (月日)
	平 均	最 高	最 低	最 高	起日(月日)	最 低	起日(月日)						
鳥 取 (気)													
昭和53年	14.9	20.0	10.4	37.8	Ⅶ 1	-6.1	Ⅱ 17	1 405.5	40.0	Ⅸ 20	152	48	Ⅱ 4
54	15.1	20.1	10.6	36.0	Ⅶ 23.Ⅶ 1	-2.7	Ⅱ 2	1 622.5	160.5	X 19	166	15	Ⅲ 1
55	13.7	18.3	9.6	33.6	Ⅸ 11	-4.7	Ⅱ 8	2 141.5	150.5	V 21	192	41	I 23
56	13.9	18.7	9.5	36.4	Ⅶ 21	-7.4	Ⅱ 26	2 103.5	178.0	Ⅶ 3	177	72	I 14
57	14.4	19.2	10.1	35.4	8/26	-4.6	1/18	1 741.5	97.5	8/1	150	74	1/20
56 1月	1.3	4.5	-1.4	8.7	31	-5.7	5	192.5	43.5	13	23	72	14
2	2.9	6.7	-0.7	16.8	15	-7.4	26	122.0	25.5	25	17	26	28
3	7.5	12.8	2.7	22.2	19	-2.5	3	69.0	11.5	13	13	15	1
4	12.3	17.7	6.6	24.9	24	-0.7	3	184.5	41.0	16	16	-	-
5	16.4	22.5	10.9	31.9	27	5.6	5	204.5	50.0	17	12	-	-
6	21.2	26.1	17.5	32.2	9	7.5	3	298.5	69.0	25	14	-	-
7	26.8	31.8	22.3	35.5	31	17.7	25	276.0	178.0	3	10	-	-
8	26.0	31.1	21.4	36.4	21	16.2	6	100.5	36.0	27	10	-	-
9	20.8	26.3	16.2	34.2	1	10.1	29	165.5	44.0	26	9	-	-
10	15.7	21.3	10.5	25.5	18	4.5	26	131.0	21.0	13	13	-	-
11	9.3	13.4	5.6	19.8	2	1.2	10	199.0	25.5	7.21	23	-	-
12	6.1	10.5	2.3	17.8	29	-0.8	11	160.5	33.5	8	17	1	15.20
57 1月	3.6	7.1	0.3	14.4	4	-4.6	18	257.5	45.5	28	20	74	20
2	3.5	7.3	0.3	13.6	28	-2.6	27	131.5	26.0	1	17	35	8
3	7.8	13.2	2.6	22.0	30	1.9	27	125.0	23.5	21	17	5	7
4	12.5	18.4	6.7	26.7	27	0.1	11	126.0	28.0	3	11	-	-
5	18.8	24.5	13.6	30.7	13	5.9	15	121.5	36.5	14	9	-	-
6	20.5	25.8	15.8	30.9	6	10.0	4	48.0	20.0	3	7	-	-
7	24.0	28.7	20.0	33.6	10	13.0	1	113.5	32.0	24	11	-	-
8	25.7	30.6	22.0	35.4	26	19.2	31	289.0	97.5	1	10	-	-
9	20.4	24.7	16.5	29.9	2	12.5	22	220.0	67.5	9	8	-	-
10	16.2	22.4	11.1	27.1	14	4.7	27	78.5	32.5	25	9	-	-
11	12.8	16.9	8.7	21.0	6	2.9	28	134.0	31.5	1	15	-	-
12	7.1	11.3	3.1	16.5	4	0.3	12.19	97.0	23.0	6	16	1	18
米 子 (測)													
昭和53年	15.0	19.8	10.6	37.4	Ⅶ 2	-4.2	Ⅱ 1.2	1 493.5	65.5	Ⅸ 29	...	33	Ⅱ 16
54	15.1	19.7	10.9	36.9	Ⅶ 17	-2.1	Ⅱ 2	1 818.0	147.0	X 19	149	24	Ⅲ 1
55	13.7	17.8	9.7	34.0	Ⅸ 11	-4.1	I 17	2 099.0	102.0	X 13	182	40	Ⅳ 31
56	14.0	18.5	9.8	34.9	Ⅶ 1.18	-8.1	Ⅱ 26	1 911.0	96.5	Ⅶ 25	182	28	I 11
57	14.5	18.9	10.4	33.6	8/15	-3.8	1/29	1 410.5	62.0	9/9	139	35	1/19.30
56 1月	1.9	4.9	-0.6	10.0	31	-2.4	1	97.5	18.0	24	20	28	11
2	3.3	6.8	-0.2	18.1	15	-8.1	26	121.0	24.5	17	16	24	28
3	7.6	12.4	2.7	19.6	25	-2.4	3	55.5	12.0	13	11	10	1
4	12.3	17.5	6.6	24.9	24	-0.5	3	152.0	31.0	16	16	-	-
5	16.6	22.4	11.3	31.7	11	5.8	20	121.0	49.0	17	13	-	-
6	21.0	24.9	17.5	31.9	8	8.6	3	403.5	96.5	25	17	-	-
7	26.7	31.3	22.9	34.6	9	19.9	25	277.5	75.5	13	13	-	-
8	25.8	30.3	22.0	34.9	1.18	17.5	6	131.0	68.0	27	8	-	-
9	20.7	25.2	16.3	32.7	3	10.8	29	135.5	47.5	25	11	-	-
10	15.8	21.0	10.6	25.7	22	4.4	27	122.5	24.0	29	14	-	-
11	9.8	13.8	6.1	19.1	20	1.6	29	203.0	39.0	28	26	-	-
12	6.5	11.1	2.8	18.8	29	-1.2	18	91.0	16.5	19	17	1	2.15
57 1月	3.9	7.5	0.8	15.7	11	-3.8	29	193.0	37.5	28	19	35	19.30
2	4.2	8.0	0.9	13.2	19	-1.6	26	74.0	21.0	4	14	24	2
3	7.9	13.0	2.9	23.8	30	-1.9	3	126.5	19.0	21	14	2	7
4	12.3	17.7	6.9	25.3	26	0.5	11	117.0	33.0	14	9	-	-
5	18.8	23.9	13.9	31.9	13	6.8	23	69.5	18.0	1	9	-	-
6	20.4	24.7	16.3	30.7	12	11.7	15	56.0	17.0	20	7	-	-
7	23.7	27.7	20.1	33.2	26	12.2	1	107.5	30.0	16	11	-	-
8	25.6	29.8	22.3	33.6	15	18.5	31	191.5	42.5	9	13	-	-
9	20.5	24.1	16.8	28.0	25	12.6	22.29	263.5	62.0	9	7	-	-
10	16.4	21.8	11.4	26.7	14	4.6	26	40.5	7.5	16	8	-	-
11	12.8	16.9	8.8	20.5	22	4.1	3	95.0	24.5	29	13	-	-
12	7.4	11.1	3.8	20.6	11	-0.3	19	76.5	15.5	6	15	-	-

(注) 1 ()内の数値は欠測日のあったことを、また、気・測は、気象台・測候所を示す。
 2 ×は欠測日のあったもの、…は観測していないもの。

別 気 象 昭和53~57年

鳥取地方気象台「気象年報」「気象月報」

年 月	気 温 (°C)								降 水 量 (mm)			降 水 日 数 (1mm以上)	積 雪 (cm)	
	平 均			極					総 量	日最大	起 日 (月日)		最 深	起 日 (月日)
	平 均	最 高	最 低	最 高	起日(月日)	最 低	起日(月日)	日最大				起 日 (月日)		
境 (測)														
昭和53年	15.3	19.8	11.2	36.8	Ⅳ 2	-3.4	Ⅱ 1	1 607.5	59.0	Ⅸ 29	...	27	Ⅱ 16.17	
54	15.3	19.7	11.4	36.5	Ⅳ 17	-1.6	Ⅲ 19	1 761.0	128.0	X 19	150	15	Ⅲ 1	
55	13.9	17.9	10.2	33.6	Ⅴ 11	-4.6	Ⅱ 8	2 171.5	91.5	Ⅶ 11	183	46	Ⅳ 31	
56	14.2	18.5	10.2	34.8	Ⅳ 30	-7.2	Ⅱ 26	1 721.0	105.0	Ⅵ 29	171	60	I 6	
57	14.6	18.8	10.7	32.7	8/7	-3.5	1/29	1 575.0	91.5	9/25	149	35	1/19	
56 1月	2.0	4.8	-0.4	9.6	31	-2.5	18	70.5	22.0	4	20	60	6	
2	5.5	6.9	-0.1	18.2	15	-7.2	26	114.5	30.0	16	16	28	4	
3	7.8	12.5	3.3	20.3	19	-3.4	7	56.0	12.0	9	11	6	1	
4	12.4	17.6	6.8	23.9	24	0.2	3	136.5	26.0	16	17	-	-	
5	16.7	22.3	11.5	30.8	11	6.1	20	130.0	48.0	17	10	-	-	
6	21.0	25.2	17.7	31.2	22	9.9	3	354.0	105.0	29	15	-	-	
7	26.9	31.4	23.4	34.3	20	20.5	25	180.5	45.5	13	9	-	-	
8	26.1	30.3	22.5	34.8	30	18.2	6	111.5	67.5	27	8	-	-	
9	21.3	25.4	17.2	32.8	3	11.8	16	112.0	50.0	25	10	-	-	
10	16.0	21.0	11.3	25.6	22	4.4	27	133.5	25.0	8	14	-	-	
11	10.1	13.8	6.3	18.2	3	0.9	19	226.5	49.0	28	24	-	-	
12	6.8	11.0	3.0	17.6	29	-1.6	4	95.5	20.0	19	17	-	-	
57 1月	3.8	7.2	0.7	15.4	11	-3.5	29	211.5	58.0	16	21	35	19	
2	4.5	8.0	1.1	12.2	16	-2.8	27	79.0	30.5	1	13	19	2	
3	8.1	13.0	3.2	23.2	30	-1.9	10	140.5	30.0	1	16	1	7	
4	12.3	17.9	7.1	24.4	24.28	1.1	11	133.5	34.5	14	10	-	-	
5	18.7	23.8	13.9	30.9	13	8.3	15	86.0	19.0	1	10	-	-	
6	20.8	24.9	16.8	30.1	11.12	1.4	15	46.5	13.0	3	6	-	-	
7	23.8	27.7	20.6	31.4	10	13.6	1	128.5	28.0	16	10	-	-	
8	25.7	29.6	22.6	32.7	7	19.0	31	162.0	53.5	2	11	-	-	
9	21.0	24.4	17.8	28.1	8	12.5	29	303.5	91.5	25	11	-	-	
10	16.7	21.9	12.0	27.1	13	5.0	27	61.0	15.0	15	10	-	-	
11	13.1	16.7	9.4	20.2	6	4.4	3	113.0	21.5	1	15	-	-	
12	7.2	10.9	3.6	18.5	1	0.0	7	110.0	6.5	11	16	-	-	
岩 井														
昭和53年	35.4	Ⅶ 28	-7.7	Ⅱ 18	66	Ⅱ 4	
54	14.3	18.8	9.8	34.9	Ⅳ 17	-2.6	Ⅱ 3	1 847	147	X 19	165	15	Ⅲ 1	
55	12.9	16.9	9.0	33.7	Ⅴ 11	-5.2	Ⅱ 8	2 061	120	V 21	191	65	I 23	
56	13.0	17.2	8.7	33.4	Ⅳ 1	-7.3)	Ⅱ 26	X	97	Ⅶ 3	X	125	I 14	
57	13.4	17.8	9.1	32.7)	8/26	-5.9	1/18	1 946	101	8/1	165	80	1/20	
56 1月	1.1	3.7	-1.6	9.3	1	-5.0	5	X	X	X	X	125	14	
2	2.0	5.1	-0.9	15.0	15	-7.3	26	101	31	17	14	75	1.4	
3	6.4	11.3)	1.5	21.1)	25	-4.3	3	54	7	3.25	16	25	1	
4	11.3	16.3	5.5)	23.6	24	-0.9)	3	191	45	16	15	-	-	
5	15.3	20.8	9.7	29.5	11	4.9	5	204	59	11	13	-	-	
6	20.3)	24.3	16.5)	30.3)	9	8.6)	3	264	82	25	15	-	-	
7	25.4	29.4	21.2	33.2	31	16.9	25	189	97	3	12	-	-	
8	24.2	28.7	19.8	33.4	1	15.0	6	114	34	27	9	-	-	
9	19.6	24.4	15.1	31.6	2.3	9.7	29	139	35	4.26	11	-	-	
10	15.0)	19.8)	10.2)	24.9)	18	5.3)	25	163	28	13	13	-	-	
11	9.0	12.5	5.4	20.2	2	0.9	19	214	35	7	24	-	-	
12	5.8	9.7	2.1	17.9	29	-2.0	4	88)	14)	19	15)	4	3	
57 1月	3.0	6.4	-0.3	15.3	4	-5.9	18	256	39	19	19	80	20	
2	2.8	5.9	0.0)	12.8	28	-2.9)	27	110	23	1.4	14	37	2	
3	6.8	11.5)	1.7	21.2)	30	-2.3	27	159	29	7	16	3	7	
4	11.3	16.8	5.4	24.6	30	-0.2	11	121	32	3	12	-	-	
5	17.5	22.8	12.1)	29.0	13	4.8	15	132	41	14	11	-	-	
6	19.1)	23.9)	14.3	28.6)	6	10.0	4	59	21	3	8	-	-	
7	22.8	27.3	18.5	32.2	26	11.4	1	102	32	24	14	-	-	
8	24.6	28.8)	20.9	32.7)	26	18.2	31	369	101	1	12	-	-	
9	19.6	23.4	15.9	29.3	25	12.0	29	223	61	9	13	-	-	
10	15.3)	20.9	10.4)	25.5)	31	4.9	27	68	18	16	9	-	-	
11	12.1)	16.0)	8.1)	20.7)	29	2.3)	28	155	32	1	19	-	-	
12	6.3	10.4	2.4	19.7	11	-0.7	19	192	33	13	18	6	13	

3)は平均値・合計値を求めるとき、正時又は日の値に欠測を含んでいることを示し、月の統計では日の値の欠測回数が20%以下の場合、欠測日を除いた値から求める。

10 観 測 所 月

年 月	気 温 (℃)							降 水 量 (mm)			降 水 日 数 (1mm以上)	積 雪 (cm)	
	平 均			極				総 量	日最大	起 日 (月日)		最 深	起 日 (月日)
	平 均	最 高	最 低	最 高	起日(月日)	最 低	起日(月日)						
	智 頭												
昭和53年	36.5	VII 25	-11.4	II 18	...	104	IX 15	...	63	II 16
54	13.4	18.7	8.9	34.3	VII 31	-5.7	I 1	2 025	249	X 19	159	26	III 1
55	12.4	17.0	8.2	32.8	VII 21	-6.9	II 17	2 155	147	V 21	176	19	IX 21
56	12.2	17.3	7.8	34.5	VII 21	-12.3	II 28	1 780	53	V 11	174	45	I 17
57	12.9	18.0	8.5	32.4	8/26	-8.6	1/31	1 717	87	10/9	152	43	1/29
56 1月	-0.5	3.5	-3.8	8.2	31	-9.1	18	99	28	16	19	45	17
2	0.7	4.7)	-2.8	11.5)	15	-12.3	28	111	20	17	17	35	4
3	5.8	11.5	0.9	18.4	19	-4.7	7	152	30	25	16	7	2
4	11.2	17.1	4.9	25.9	28	-1.6	3	217	46	19	17	-	-
5	15.3	21.7	9.2	30.2	26	2.9	5	187	53	11	10	-	-
6	20.3	25.2)	16.1	31.6)	8	5.2	3	257	49	27	18	-	-
7	25.4	30.4	21.2	34.0	29	16.3	27	149	42	3	14	-	-
8	24.4	29.3	20.1	34.5	21	15.0	7	98	53	27	9	-	-
9	19.4)	24.4)	15.5)	32.0)	1	8.7)	29	150	35	26	11	-	-
10	13.9	19.5	8.8	24.5	22	1.6	26	101	29	8	12	-	-
11	7.4	11.8	3.9	18.0	2	-1.1	19	121	26	2	15	-	-
12	3.1	7.9	0.2	15.8	29	-3.7	4.18	158	31	2	16	37	15
57 1月	1.6	5.6	-2.1	11.9	4	-8.6	31	167	38	28	17	43	29
2	1.5	5.7	-1.8)	13.1	28	-8.6)	11	116	19	1	19	37	2
3	6.5	11.9	1.4	19.4	23	-3.7	9.27	169	43	15	17	1	2
4	11.0	17.1	5.2	24.9	25	-0.8	11	142	36	14	11	-	-
5	18.0	24.4	11.8	30.7	11	4.9	23	115	30	14	10	-	-
6	19.3)	24.8)	14.5)	30.3)	12	10.9)	15	66	20	3	10	-	-
7	22.7	27.3	18.9	31.2	27	14.6	2	149	35	24	13	-	-
8	24.5	29.1	20.9	32.4	26	18.8	4.31	242	73	1	14	-	-
9	19.4)	23.4)	16.0)	28.3)	1	11.7)	5	250	58	19	11	-	-
10	14.7	20.8)	9.7	26.8)	13	1.4	27	122	87	9	8	-	-
11	11.4	15.8	7.4	20.7	6	0.5	28	115	33	30	13	-	-
12	4.6	10.0	0.4	17.0	11	-4.2	19	64	27	6	9	-	-
	青 谷												
昭和53年	35.2	VII 22	-5.8	II 17	...	72	XI 1	...	40	II 3.4 III 13
54	14.7	18.6	10.4	35.0	VII 23	-2.2	III 19	1 739	166	X 19	159	7	III 1
55	13.3	16.9	9.5)	31.8	VII 13. IV 11	-3.5	I 17. II 8	2 069	123	V 21	191	37	I 23
56	13.5	17.3	9.5	34.6	VII 31	-7.1)	II 26	1 875	95	V 25	176	60	I 14
57	14.0	17.7	9.9	33.1)	7/26	-3.6	1/18	1 574	67	9/9	149	40	1/20
56 1月	1.8	4.2)	-0.8	9.6)	1	-2.9	23	182	35	13	18	60	14
2	3.1)	6.0)	0.0)	12.3)	15	-7.1)	26	110	25	17	16	25	27
3	7.2)	11.1)	2.6	21.1)	25	-2.7	3	50	8	10	14	7	2
4	11.4	15.9)	6.0	23.1)	29	-0.8	3	160	31	16	15	-	-
5	15.3	20.2	10.2	29.2	11	4.8	5	177	43	11	14	-	-
6	20.2	23.6)	17.1	30.4)	22	7.5	3	277	95	25	15	-	-
7	25.7	29.4	21.9	33.2	31	18.2	25	169	68	3	12	-	-
8	24.8	28.9	20.8	34.6	31	16.7	24	125	47	27	9	-	-
9	20.3)	24.6)	15.8)	31.0)	3	11.1)	16.17	121	40	26	10	-	-
10	15.7	20.4)	11.0)	25.9)	18	5.0)	26	96	20	13	14	-	-
11	9.7	13.1	6.2	18.8	20	1.5	10.19	260	54	17	23	-	-
12	6.8)	10.7)	3.0)	19.0)	29	-0.8)	11	148	27	7	16	-	-
57 1月	4.1	7.2	0.9)	15.7)	4	-3.6	18	202	38	19	18	40	20
2	4.0	6.9	1.1)	12.0	28	-3.0)	27	94	28	1	14	8	8
3	7.4	11.7	2.3	21.0	30	-2.4	27	115	20	21	14	-	-
4	11.4	16.3	6.0	24.9	26	0.0	11	129	36	3	12	-	-
5	17.5	21.7)	12.3)	30.5	13	4.8)	15	126	33	1	10	-	-
6	19.6	23.0	15.8	27.8	16	11.6	4	52	25	3	6	-	-
7	23.0	26.5)	19.5	33.1)	26	12.5	1	92	18	14	13	-	-
8	24.8	28.1	21.5	32.1	28	18.5	31	237	59	1	10	-	-
9	20.1	23.2	16.4	29.3	25	11.9	29	265	67	9	10	-	-
10	15.7	20.5	11.0	25.5)	31	4.9)	27	47	17	25	8	-	-
11	12.5)	16.1)	8.4)	19.9)	29	4.2)	3.28	140	26	1	16	-	-
12	7.5	11.1	3.8	20.4	11	0.4	19	76	17	31	18	1	18

別 気 象 (続) 昭和53~57年

鳥取地方気象台「気象年報」「気象月報」

年 月	気 温 (℃)							降 水 量 (mm)			降 水 日 数 (1.0mm以上)	積 雪 (cm)	
	平 均			極				総 量	日最大	起 日 (月日)		最 深	起 日 (月日)
	平 均	最 高	最 低	最 高	起日(月日)	最 低	起日(月日)						
	倉 吉												
昭和53年	14.3	19.1	9.5	35.6	VII 6	-7.5	II 18	1 861	101	IX 15	153	82	II 16
54	X	X	X	X	X	X	X	X	X	X	X
55	13.4	16.9	10.0	31.3	VI 17	-4.0	I 17, II 29	1 961	112	V 21	171	25	I 23
56	13.1)	16.7)	9.5	33.1)	VII 29	-7.3)	II 26	X	90	VI 25	X	33	I 14
57	14.2	17.8	10.6	31.4	8/13	-3.5	1/18	1 397	68	8/18	142	26	1/29
56 1月	1.7	4.0	-0.3	8.1	1	-3.0	4	82	12	24	20	33	14
2	3.3	6.2	0.2)	17.6	15	-7.3)	26	79	18	17	15	30	4
3	7.6)	11.4)	3.5	20.4)	25	-1.2	3	50	8	5	12	12	1
4	11.9	16.0	7.0	23.5	24	1.3	3	144	35	16	16	-	-
5	16.0	20.6	11.3	28.6	27	6.5	20	141	41	17	14	-	-
6	20.6	24.2	17.5	30.0	9	9.5	3	281	90	25	15	-	-
7	26.1	29.7	22.6	33.1	29	18.7	25	179	52	3	12	-	-
8	25.1	28.6	21.4	32.9	31	17.1	6	108	49	27	8	-	-
9	X	X	X	X	X	X	X	X	X	X	X	-	-
10	15.6	20.2)	11.5)	25.1)	18	5.6)	26	94	23	13	14	-	-
11	9.7)	13.1)	6.7)	18.9)	2	2.6)	10	236	53	17	23	-	-
12	6.5	10.1)	3.4)	17.4)	29	0.6)	1	106	17	8	18	-	-
57 1月	4.0	6.8	1.3	14.3	4	-3.5	18	146	35	28	17	26	29
2	4.1	6.8	1.3)	13.3	20	-1.2)	2	94	34	1	14	14	2
3	7.8	11.9	3.3	21.1	30	-0.3	27	99	20	21	15	-	-
4	12.0	16.6	6.9	24.8	30	1.6	11	117	32	14	11	-	-
5	18.1	22.5	13.8	29.2	13	6.2	15	108	30	1	9	-	-
6	20.1	23.8	16.4	30.1	7	12.1	4	48	22	3	6	-	-
7	23.4	26.5	20.3	31.3	26	13.3	1	83	17	14, 24	12	-	-
8	24.9	28.2	22.0	31.4	13	19.2	31	253	68	18	12	-	-
9	20.0	23.2	16.8	27.8	25	12.9	29	246	62	9	11	-	-
10	16.2	20.9	12.2	25.8	15	6.3	25	51	17	25	10	-	-
11	12.7	16.1	9.3	19.5	6	3.7	28	97	20	10	13	-	-
12	7.3	10.7	4.1	18.7	11	0.4	19	55	12	31	12	-	-
	関 金												
昭和53年	15.1	19.2	10.9	35.5	VIII 1	-5.0	II 2	1 840	133	IX 15	154	62	16
54	X	X	X	X	X	X	X	2 052	245	X 19	164	23	I 20, III 1
55	2 330	118	V 21	182	33	I 23
56	1 817	67	VII 13	172	37	I 27, II 4
57	1 721	71	8/19	150	57	1/29
56 1月								135	35	26	18	37	27
2								141	26	17	14	37	4
3								77	27	10	14	16	1
4								173	49	16	15	-	-
5								164	52	11	11	-	-
6								244	49	25	18	-	-
7								236	67	13	13	-	-
8								116	53	27	8	-	-
9								109	31	25	10	-	-
10								93	23	13	14	-	-
11								218	38	16	22	-	-
12								111	39	14	15	30	15
57 1月								207	60	28	18	57	29
2								116	22	1	15	56	2
3								136	30	2	17	8	2
4								150	34	3	10	-	-
5								98	23	1	9	-	-
6								60	25	3	8	-	-
7								101	22	24	13	-	-
8								291	71	19	12	-	-
9								297	63	9	13	-	-
10								82	17	25	10	-	-
11								122	40	1	15	-	-
12								61	25	6	10	0	6

(注) 倉吉：昭和54年3月までは三朝。

10 観測所月別気象(続) 昭和53~57年

鳥取地方気象台「気象年報」「気象月報」

年 月	気 温 (°C)							降 水 量 (mm)			降 水 日 数 (1mm以上)	積 雪 (cm)	
	平 均			極				総 量	日最大	起 日 (月日)		最 深	起 日 (月日)
	平均	最高	最低	最高	起日(月日)	最低	起日(月日)						
下 市													
昭和53年	33.1	Ⅷ 19	-3.8	Ⅱ 2	...	86	Ⅹ 15	...	26	Ⅱ 4
54	15.0	18.3	11.3	35.1	Ⅷ 17	-1.1	Ⅱ 2	1 829	114	X 19	155	6	Ⅲ 1
55	13.5	16.7	10.2	31.7	Ⅹ 11	-3.6	I 17	2 067	96	X 13	180	23	I 23, Ⅲ 31
56	13.8	17.0	10.3	32.9	Ⅶ 9	-7.6)	Ⅱ 26	1 756	92	Ⅶ 25	173	38	I 5
57	14.2	17.4	10.7	31.2)	8/28	-2.4	1/29	1 525	85	9/ 9	143	35	1/20
56 1月	2.1	4.2	0.1	9.6	1	-1.8	11	81	17	24	18	38	5
2	3.7	6.2	0.8)	13.4	13	-7.6)	26	91	20	16	16	23	27
3	7.7)	11.3)	3.8)	22.3)	25	-0.7)	3	43	8	5	12	10	1
4	12.0)	15.5)	7.3)	22.3)	24	0.0)	3	155	33	16	17	-	-
5	15.6	19.6)	11.0)	29.3)	11	6.0)	20	172	51	17	13	-	-
6	19.9	22.9)	17.0)	31.4)	22	8.6)	3	380	92	25	16	-	-
7	25.5	28.5	22.1	32.9	9	18.6	25	168	34	3	13	-	-
8	24.9	28.3	21.6	32.8	26	17.1	6	104	62	27	9	-	-
9	20.7	24.3)	17.1	31.2)	3	12.4	30	102	37	26	9	-	-
10	16.0	20.0)	11.8	24.8	18	6.9	23	107	19	29	13	-	-
11	10.2	13.0)	7.1)	18.3)	20	2.8)	8	250	63	17	22	-	-
12	7.3	10.4	4.0	19.0	29	0.1	4	105	14	5. 19	15	-	-
57 1月	4.2	6.8	1.4	16.9	4	-2.4	29	164	33	16	20	35	20
2	4.6	7.0	2.1)	12.1	28	-1.0	27	66	30	1	10	5	1
3	8.0	11.7	3.7	22.1	15	-0.4	8	124	18	1. 21	15	0	7
4	11.6	15.7)	7.2)	23.8)	26	2.2)	1. 11	126	33	3	10	-	-
5	17.5	21.2)	13.5	30.0)	13	6.3	15	85	18	14	9	-	-
6	19.6	22.8	16.0	25.8	6	12.0	4. 14	44	14	2. 3	7	-	-
7	22.9	25.8	19.6	30.2	11	12.9	1	94	20	14	11	-	-
8	24.7)	27.5)	21.8)	31.2)	28	18.3)	31	196	40	9	11	-	-
9	20.5	23.3	17.3	28.1	25	12.5	22	356	85	9	9	-	-
10	16.2	20.3	12.0	23.2	31	6.5	26	62	20	19	10	-	-
11	12.9	15.9)	9.5	19.2)	22	6.3	3. 28	142	22	1. 10	16	-	-
12	7.7	10.7)	4.8	20.2)	11	0.4	7	86	12	11	15	1	31
日 南													
昭和53年	35.4	Ⅶ 6	-9.0	Ⅲ 2	(1 387)	57	Ⅹ 29	...	45	Ⅱ 18
54	11.3	16.2	6.5	31.3	Ⅶ 31	-9.3	I 17	1 904	156	X 19	161	90	Ⅲ 2
55	10.1	14.4	5.5	30.5	Ⅶ 21	-13.4	I 23	2 237	96	Ⅷ 29	204	94	Ⅵ 30
56	10.0	14.8	5.0	30.8	Ⅶ 19	-17.4	Ⅱ 28	1 783	81	Ⅶ 25	171	98	I 16
57	10.6	15.3	5.7	29.3	8/8	-13.7	1/17	1 722	78	9/19	160	100	1/30
56 1月	-2.8)	0.4	-7.0	5.0)	31	-15.9	1	130	21	24	21	98	16
2	-1.5	2.2	-6.2	12.1	15	-17.4)	28	94	17	16	16	94	27
3	3.5)	9.0	-2.2)	16.6)	25	-11.4)	7	87	18	13	13	72	2
4	9.1	15.1	2.1	22.2	27	-4.2	3	178	40	16	16	-	-
5	13.5)	19.6)	7.1)	26.8)	10	0.3)	20	127	52	17	9	-	-
6	18.6	23.2	14.2	29.2	9	3.2	3	314	81	25	17	-	-
7	23.4	27.9	19.3	30.8	19	16.2	27	245	62	13	11	-	-
8	21.8)	26.6)	17.2)	30.2)	3	11.5)	24	134	60	27	8	-	-
9	16.4)	21.6)	11.3)	29.0)	1	4.1)	16	117	44	26	10	-	-
10	11.3	17.0)	5.6	21.1)	4	-1.4	27	135	34	8	13	-	-
11	5.5	9.4)	1.3	16.8)	2	-4.8	19	113	31	2	22	-	-
12	1.3	6.1	-3.0	14.9	29	-10.8	18	109	26	19	15	36	15
57 1月	-0.4	2.8	-4.3	10.0	11	-13.7	17	178	37	17	20	100	30
2	-0.7	3.0	-5.2)	8.8	28	-11.9)	11	63	16	4	15	95	2
3	3.9	9.3	-1.7	17.7	30	-7.2	8. 10	101	18	12	15	38	2
4	8.8	15.0	2.4	22.2	25	-3.6	11	130	34	9	13	-	-
5	16.0)	21.7)	10.0)	27.5)	28	0.8)	15	115	40	20	8	-	-
6	17.0)	22.2)	11.9	27.5)	12	5.8	15	125	38	7	10	-	-
7	20.2	24.5)	15.8	28.2)	27	6.3	1	153	41	24	15	-	-
8	21.9	26.4	18.1	29.3	8	12.5	30	212	61	27	13	-	-
9	16.7	20.8	12.4	26.3	1	5.8	22	360	78	19	9	-	-
10	11.9	18.3)	6.2)	23.5)	13	-1.4)	27	80	17	9	11	-	-
11	8.7	13.3	3.9	18.4	4	-2.2	3	128	33	29	16	-	-
12	2.7)	6.7)	-1.5)	16.1)	11	-10.3)	19	77	14	6. 17	15	15	19

11 鳥取市気象平年値 1951年～1980年

鳥取地方気象台

月	気 温 (°C)								日 照	
	平 均			極					平均時数	日照率(%)
	平 均	最 高	最 低	最 高	起日(年月日)	最 低	起日(年月日)			
全 年	14.3	18.7	10.5	37.8	78. 8. 1	- 7.4	81. 2. 26	1 760.6	40	
1月	3.9	7.4	0.8	20.4	64 13	- 6.5	67 16	75.4	24	
2	4.1	7.9	0.8	21.8	54 27	- 7.4	81 26	82.7	27	
3	7.0	11.5	2.8	25.4	79 30	- 4.7	77 5	137.2	37	
4	12.5	17.2	7.8	30.2	72 19	- 2.2	63 3	176.5	45	
5	16.9	21.7	12.2	32.0	74 29	2.2	65 1	210.3	49	
6	20.5	24.5	16.8	33.6	44 30	7.5	81 3	162.9	38	
7	25.2	29.2	22.0	37.6	78 28	12.6	66 4	188.4	43	
8	26.3	30.8	22.5	37.8	78 1	12.9	56 20	219.3	53	
9	21.9	26.4	18.1	34.6	70 2	9.5	64 30	156.6	42	
10	16.1	20.9	12.0	31.3	46 2	4.3	62 22	145.1	42	
11	11.2	15.9	7.2	26.3	79 2	- 2.4	70 30	117.0	38	
12	6.7	10.8	3.2	21.9	53 1	- 5.6	76 30	89.1	29	

月	相 对 湿 度 (%)			風 (m/s)						
	平 均	極		最 大 瞬 間 風 速			最 大 風 速			
		最 小	起日(年月日)	風 速	風 向	起日(年月日)	風 速	風 向	起日(年月日)	
全 年	76	12	56. 5. 16	44.0	NW	61. 9. 16	29.2	NW	61. 9. 16	
1月	74	26	64 12	32.6	NW	71 5	23.5	NW	52 25	
2	75	22	65 20	28.5	NNW	68 24	18.0	NW	53 15	
3	71	16	76 14	31.6	S	81 25	19.7	NW	57 12	
4	72	14	79 11	35.7	S	59 4	20.2	S	59 4	
5	74	12	56 16	31.3	S	73 8	17.7	W	56 6	
6	80	19	80 5	24.9	S	77 2	15.0	S	54 2	
7	81	25	81 26	25.0	S	59 8	13.5	SSW	59 8	
8	79	29	75 1	29.0	NNW	75 23	20.2	WSW	56 17	
9	81	26	78 8	44.0	NW	61 16	29.2	NW	61 16	
10	78	21	82 31	30.5	NW	51 15	22.3	NW	51 15	
11	75	23	79 2	27.2	S	82 29	19.9	NW	51 3	
12	74	26	78 12	27.3	NNW	80 24	20.5	NW	51 16	

月	降 水 量 (mm)							積 雪 量 (cm)	
	総量平均	極					最 深	起日(年月日)	
		最 大	起日(年月)	1 日	起日(年月日)	1 時 間			起日(年月日)
全 年	2 017.5	588.6	53. 7	187.5	76. 9. 10	68.0	81. 7. 3	129	47. 2. 22
1月	213.3	379.6	53	79.5	53 12	16.5	70 4	72	45 29
2	178.6	341.7	47	65.4	45 5	10.2	63 3	129	47 22
3	131.0	227.0	66	45.8	54 6	13.5	80 31	48	74 13
4	117.8	184.5	81	73.8	61 26	13.4	62 21	8	58 1
5	116.9	283.5	80	150.5	80 21	33.4	53 29	-	- -
6	167.4	307.0	63	145.5	45 12	51.5	72 8	-	- -
7	240.3	588.6	53	178.0	81 3	68.0	81 3	-	- -
8	131.7	343.5	76	97.5	82 1	53.5	68 10	-	- -
9	246.6	527.3	65	187.5	76 10	60.0	75 26	-	- -
10	138.6	408.2	45	160.5	79 19	35.8	46 12	-	- -
11	154.0	323.0	70	77.5	76 14	20.0	76 14	18	70 30
12	181.3	425.0	45	116.6	45 18	15.0	45 18	60	45 19

(注) 極は1943年から1982年までのもの。